

H. M. Wilkinson Sr House

11/3/53

Footer concrete

$$\frac{(30+50+50+32+32+11) \times 1.3 \times 0.67}{27} =$$

6.6 cy.

Piers

$$\frac{2 \times 2 \times 2 \times 1}{27} =$$

0.3

Utility room floor: $\frac{11.33 \times 11.33 \times .4}{27}$

1.9

Garage floor: $\frac{11.33 \times 18.67 \times .4}{27}$

3.1

Footers under front entrance:

$$\frac{(3.0+4.0+3.0+4.0+7.0+4.0) \times .83 \times .67}{27} =$$

0.5

Front entrance steps: $\frac{4.0 \times 4.0 \times 1.0}{27}$

0.6

Front entrance stoop: $\frac{4.0 \times 7.0 \times 0.33}{27}$

0.4

Steps - Kitchen to Utility: $\frac{3.0 \times 3.0 \times 2.0}{27}$

0.3

Conc. walk at front: $\frac{13.0 \times 3.0 \times 0.4}{27}$

0.6

Conc walk to rear door: $\frac{37.0 \times 3.0 \times 0.4}{27}$

1.7

Pad at rear entrance: $\frac{5.0 \times 4.0 \times 0.4}{27}$

0.3

Driveway to garage: $\frac{18.0 \times 8.0 \times 0.4}{27}$

2.2

Total

18.5 Cuyds.